

[Web Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)

Google scholar

"file type" and (application or program) and isolat

[Advanced Scholar Search](#)

[Scholar Preferences](#)

Scholar

Results 1 - 100 of about 2,050. (0.58 sec)

Did you mean: ["file type" and \(application or program\) and **isolation** and scope](#)

[Type-safe linking and modular assembly language- *psu.edu \[PDF\]](#)

N Glew, G Morrisett - Proceedings of the 26th ACM SIGPLAN-SIGACT ..., 1999 - portal.acm.org

... parameters are GUI handles for the **application** and/or ... expects the registers to have register **file type** !?. A ... if we define typed linking, **program** formation, and ...

[Cited by 32](#) - [Related articles](#) - [BL Direct](#) - [All 26 versions](#)

[\[PDF\] ·Why pcs are fragile and what we can do about it: A study of windows registry problems](#)

A Ganapathi, YM Wang, N Lao, JR Wen - Proceedings of IEEE Dependable Systems and ..., 2004 - Citeseer

... instead replaced by the "unknown **file type**" icon. ... over Registry entries from software uninstallation or ... ignore", were either too **application**-specific or ...

[Cited by 20](#) - [Related articles](#) - [View as HTML](#) - [All 13 versions](#)

[Application program and documentation generator system and method](#)

BT Stack - US Patent 6,257,774, 2001 - Google Patents

... 10,2001 (54) **APPLICATION PROGRAM** AND DOCUMENTATION GENERATOR SYSTEM AND METHOD

(75) Inventor: Brian T. Stack, Miami Lakes, FL (US) (73) Assignee: Authorgenics ...

[Cited by 13](#) - [Related articles](#) - [All 3 versions](#)

[Maintenance as a function of design](#)

JR McKee - Proceedings of the July 9-12, 1984, national computer ..., 1984 - portal.acm.org

... in the form of programming tools and software packages which ... on-line activity in this **application**, neither the network- nor the inverted-file- **type** of DBMS ...

[Cited by 36](#) - [Related articles](#) - [All 3 versions](#)

[Debugging reinvented: asking and answering why and why not questions about program ...- *psu.edu \[PDF\]](#)

AJ Ko, BA Myers - ... of the 30th international conference on Software ..., 2008 - portal.acm.org

... the same ideas, but limited the **scope** mostly to ... and events that appear in an **application's** undo stack (in ... with no limitations on the target **program**, other than ...

[Cited by 29](#) - [Related articles](#) - [All 10 versions](#)

[STRIDER: A black-box, state-based approach to change and configuration management and ...- *usenix.org](#)

YM Wang, C Verbowski, J Dunagan, Y Chen, ... - Science of Computer Programming, 2004 - Elsevier

... and irrelevant to the deterministic **application** failure that ... we use state tracing to **scope** essentially a ... code path taken by the failed **program** execution, and ...

[Cited by 86](#) - [Related articles](#) - [All 12 versions](#)

[PDF] • [Legion: An operating system for wide-area computing](#)

A Grimshaw, A Ferrari, F Knabe, M Humphrey - IEEE Computer, 1999 - Citeseer

... Legion an extended **file type** can be used to represent the 2-D ... memory parallel **programs**.

Starting from our successful base of system deployment and **application** ...

[Cited by 111](#) - [Related articles](#) - [View as HTML](#) - [All 10 versions](#)

[Diagnostic configuration management for a data processing system](#)

DM Benignus, LM Browning - US Patent 4,888,771, 1989 - Google Patents

... A failing option can be **isolated** during a system ... In or on a diagnostics **application**

program diskette 10, in ... each 45 different way hard **file type**, diskette type ...

[Cited by 25](#) - [Related articles](#) - [All 2 versions](#)

• [Automatic misconfiguration troubleshooting with PeerPressure](#)

HJ Wang, JC Platt, Y Chen, R Zhang, YM ... - usenix.org

... base and numerous third-party software packages has ... clicking any shortcut does not

launch the **application**. ... Favorites, IE uses the "unknown **file type** icon" for ...

[Cited by 79](#) - [Related articles](#) - [Cached](#) - [All 30 versions](#)

[Method and system for shadowing file system structures from multiple types of networks](#)

S Pardikar - US Patent 5,721,916, 1998 - Google Patents

... use in an ^^^ Me system tyPes' **isolated** environment ... the preferred embodiment of the

file type should be ... The **application program** 30 is running on the workstation ...

[Cited by 13](#) - [Related articles](#) - [All 2 versions](#)

[PDF] • [Distributed systems](#)

AS Tanenbaum, M Van Steen, 2002 - Citeseer

... Failure transparency: enables the concealment of faults, allowing users and **application**

programs to complete their tasks despite the failure of hardware or ...

[Cited by 1490](#) - [Related articles](#) - [View as HTML](#) - [All 39 versions](#)

[PDF] • [Software cost estimation](#)

FJ Heemstra - Information and Software Technology, 1992 - alexandria.tue.nl

... Quality analysts Experience with **application** Quality programmers ... Within FPA the software

is characterized by ... the logical internal **file type** • the external ...

[Cited by 110](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[Recent worms: a survey and trends](#) - [googlepages.com](#) [PDF]

DM Kienzle, MC Elder - Proceedings of the 2003 ACM workshop on Rapid ..., 2003 - portal.acm.org

... operating systems, where the real **file type** is hidden). ... Propagated via ICQ (another

client **application**). Disabled common security software, which was copied by ...

[Cited by 122](#) - [Related articles](#) - [All 16 versions](#)

[PDF] • [A quantitative profile of a community of open source Linux developers](#)

BJ Dempsey, D Weiss, P Jones, J Greenberg - Chapel Hill: School of Information and Library Science, ..., 1999 -

Citeseer

... Figure 8: Changes by **File Type** (3/16/99 to 4 ... there, a group we have called **Application**

Contributors in ... at this level in the open source software associated with ...

[Cited by 67](#) - [Related articles](#) - [View as HTML](#) - [All 10 versions](#)

Method and apparatus for network security in browser based interfaces

WR Baldwin, CS Christensen, RK Foster, A ... - US Patent 5,878,417, 1999 - Google Patents
... FILETYPE EXTENSION 30 STEP 2 **ISOLATE** SPECIFIC NETWORK ... and permission information for said **application program**, said unique **file type** extension different ...

[Cited by 4](#) - [Related articles](#) - [All 2 versions](#)

Method and apparatus for replicating and analyzing worm programs

WC Arnold, DM Chess, JF Morar, A Segal, MG ... - US Patent 6,981,279, 2005 - Google Patents
... The **file type** is determined at setup time, and thus the ... an execu- tion of a particular **application**, and an ... to reply in such a way that the **program** making the ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

Method and apparatus for reserving system resources to assure quality of service

MJ Baugher, PY Chang, GL Morris, AP ... - US Patent 5,581,703, 1996 - Google Patents
... In addition, an **application program**, running on a workstation in a client-server envi- ronment, may not recognize whether a file being accessed is located on ...

[Cited by 51](#) - [Related articles](#) - [All 5 versions](#)

Tutorial programs for operation of on-line retrieval systems

DE Caruso - Journal of Chemical Documentation, 1970 - pubs.acs.org
... goal of fully interactive searching of that **file type**. ... tried to make the best **application** of currently ... the system, (5) debug- ging the **program**, (6) preliminary ...

[Cited by 9](#) - [Related articles](#)

Visualizing software changes- *psu.edu [PDF]

SG Eick, TL Graves, AF Karr, A Mockus, P ... - IEEE Transactions on **Software Engineering**, 2002 - doi.ieeecomputersociety.org

... Nor do the components exist in **isolation** from one ... to be mapped onto time, size, **file type**, and other ... As with other enterprise software **applications**, there is a ...

[Cited by 75](#) - [Related articles](#) - [Bt Direct](#) - [All 18 versions](#)

OTFACT: Multi-level performance-oriented software with an assistive technology outcomes ...

RO Smith - Technology and Disability, 2002 - IOS Press
... 5. OTFACT **file type** window highlights file selection ... the TTSS method suggests another **application** which needs ... therapy professional training **programs** use OTFACT ...

[Cited by 4](#) - [Related articles](#)

[PDF] *The DoD internet architecture model

VG Cerf, E Cain - Computer Networks, 1983 - Citeseer
... It has several modes of operation depending on **file type** and includes ... as electronic mail service, remote terminal access to service **programs**, etc. ... **Application** ...

[Cited by 45](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[PDF] *A framework-based approach to science software development

S Larson, S Watson, K Rengarajan, I ... - 2000 IEEE Aerospace Conference Proceedings, 2000 - Citeseer
... on Rogers' definition [4]: A framework is, "a partially completed software **application** that is intended to be customized to completion." The **scope** of what ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[Store—a system for handling third-party applications in a heterogeneous computer ...](#)

A Christensen, T Egge - **Software** configuration management: ICSE SCM-4 and 1995 - books.google.com
... even **precedented**, as compilers use the " **file type**" to decide ... user can easily find
the **program** needed given ... one Web" home-page" per **application**, through which ...
[Cited by 2](#) - [Related articles](#) - [BL Direct](#) - [All 2 versions](#)

[System for parsing extended file names in an operating system](#)

EJ Bauer - US Patent 5,412,808, 1995 - Google Patents
... of the invention, an ap- same assignee hereof: US patent **application** Ser ... is desired
is a technique which enables an oper- 55 **isolation** from user **programs**. ...
[Cited by 23](#) - [Related articles](#) - [All 2 versions](#)

[Authentication program for a computer operating system](#)

JW Wells - US Patent 6,779,117, 2004 - Google Patents
... The database specifying which data **file type** is paired with ... detection employs an
appli- **cation program** which runs ... when the user executes an **application** (FIG. ...
[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] On-Board File Management and Its Application in Flight Operations](#)

N Kuo, E Greenberg - SpaceOps 98, Tokyo, Japan, June 1998 - track.sfo.jaxa.jp
... extension could be used to indicate the **file's type**. ... NASA's New Millenium **program**
is driven by space ... manipulation process, (3) inform the **application** that a ...
[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[... information between debug program which emulates I/O devices and ladder logic program](#)

SC Zifferer, JJ Menter Jr - US Patent 5,276,811, 1994 - Google Patents
... 4, 1994 Sheet 7 of 8 Maximum Number of **File Type** Dements File ... WHICH EMULATES I/O
DEVICES AND LADDER 5 LOGIC **PROGRAM** This is a continuation of **application** Ser ...
[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

[System for providing secure internetwork by connecting type enforcing secure computers to ...](#)

WE Boebert, CO Rogers, G Andreas, SW ... - US Patent 5,864,683, 1999 - Google Patents
... 9, 1996 by Areste Canosa for **Application** No ... Haigh, et al., "Extending the
Noninterference Version of MLS for SAT", IEEE Transactions on Software Engineering, ...
[Cited by 54](#) - [Related articles](#) - [All 2 versions](#)

[Managing update conflicts in Bayou, a weakly connected replicated storage system- *psu.edu \[PDF\]](#)

DB Terry, MM Theimer, K Petersen, AJ Demers ... - ACM SIGOPS Operating Systems Review, 1995 - portal.acm.org
... of a **laptop** or **PDA** running in **isolation**. ... each Write operation, are general **programs**
written ma ... embedded data, such as **application**-specific knowledge related to ...
[Cited by 740](#) - [Related articles](#) - [BL Direct](#) - [All 85 versions](#)

[Sharing in typed module assembly language- *psu.edu \[PDF\]](#)

D Duggan - Lecture Notes in Computer Science, 2001 - Springer
... the client is the running **program** that loads and ... to core language operations (function
application and generic ... $x\ k : A\ k\} \Gamma \in \text{Register File Type} ::= \{r\ 1\ \dots$
[Cited by 23](#) - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)

[... system providing a distributed stream software environment to enable application on a first ...](#)

I Agrawal, KE Zimmerman - US Patent 5,519,833, 1996 - Google Patents

... 5,519,833 30 DISTRIBUTED DATA PROCESSING SYSTEM PROVIDING A DISTRIBUTED STREAM SOFTWARE ENVIRONMENT TO ENABLE APPLICATION ON A FIRST SYSTEM TO USE DRIVER ON A ...

[Cited by 13](#) - [Related articles](#) - [All 2 versions](#)

[... for accessing, by application programs, resources residing inside an application isolation ...](#)

NA Bissett, A Roychoudhry, RJ Mazzaferri - US Patent App. 11/231,317, 2005 - Google Patents

... 104 ABSTRACT In a method for accessing, by application programs, resources provided ...

Patent Application Publication Apr ... Isolation Scope Ej 1 r 3 L, D L, D L» _j ...

[All 2 versions](#)

[Application identity for software products](#)

JJ Kavalam, TD Noonan, V Tsuryk, A Stritzel, ... - US Patent App. 10/868,183, 2004 - Google Patents

... to the system (eg, "undo" file type associations), and ... 0047] In some embodiments,

an isolation identity is assigned to an application program in addition to ...

[All 2 versions](#)

[... FOR PROVIDING FILE-TYPE ASSOCIATIONS TO MULTIPLE APPLICATIONS](#)

LG Laborczfalvi, A Roychoudhry, AG Borzycki ..., 2006 - freepatentsonline.com

... scope within an isolation environment. 13. The method of claim 1, wherein the chooser

tool is the default application program associated with the file type. ...

[\[PDF\] •NAP, 537 WSS, 618–619 antivirus programs application virtualization, 309 NAP, 537](#)

ANTR Update, ASU from an Intranet, A Wizard - media.wiley.com

... 368, 377–378, 377–378 File Type Associations Wizard ... See virtualized applications

Files Not Cached policy setting, 217–218 Files or Programs from the ...

[View as HTML](#)

[Application identity for software products](#)

AD Stritzel, JJ Kavalam, TD Noonan, VV ..., 2005 - freepatentsonline.com

... impact to the system (eg, "undo" file type associations), and ... virtualizes a file

requested by an application program with a specific isolation identity for ...

[All 2 versions](#)

[IML-stream generated error insertion/FRU isolation](#)

A Eisenhoffer, H Fischer, H Kohler, N ... - US Patent App. 10/313,326, 2002 - Google Patents

... Patent Application Publication Jul ... to open a respective particular file of said first

file type and displays ... The FRU isolation program is now started and can be ...

[Related articles](#) - [All 4 versions](#)

[Internal object protection from application programs](#)

DB Probert, E Li, DC Sambotin, G Fernandes, ..., 2005 - freepatentsonline.com

... impact rollback (eg, revert file type associations to ... application group (eg, same

isolation identity). ... in the figures to grant an application program access to ...

[All 2 versions](#)

[\[PDF\] •WRDC/MTI](#)

DL DAV - dtic.mil

... design of the IISS and **application** of Configuration ... MODULE TYPE: Whether a **Program**, Subroutine, or Function. ... SOURCE **FILE TYPE**: Source File Extension from file ...

[View as HTML](#) - [All 2 versions](#)

[\[PDF\] •SP1, 241 Administratively Assigned Offline Files policy setting, 445, 445–446 administrators ...](#)

WS Update. AAS AAS · management · media.johnwiley.com.au

... 500–501 troubleshooting, 501 starting based on **file type**, 496–497 ... 18–19 Group

Policy Software Installation **application isolation**, 481–482 ...

[View as HTML](#) - [All 2 versions](#)

[Dynamically identifying dependent files of an **application program** or an operating system](#)

DB Probert, E Li, JA Rector - US Patent App. 10/963,479, 2004 - Google Patents

... such as read-only access, **isolation**, virtualization, change ... other orderings are within the **scope** of the ... the deploy- ment package of an **application program**. ...

[All 2 versions](#)

[Method and apparatus for isolating execution of **software applications**](#)

LG Laborczfalvi, A Roychoudhry, AG Borzycki, ... - US Patent App. 10/711,737, 2004 - Google Patents

... made by an **application program** executing on behalf of a user to an **isolation** environment. The **isolation** environment includes a user **isolation scope** and an ...

[All 7 versions](#)

[Method and environment for associating an **application** with an **isolation** environment](#)

JD Muir, LG Laborczfalvi, AG Borzycki, HC ..., 2006 - freepatentsonline.com

... 4.6 Virtualized **File-Type** Association. ... In install mode, the **application** installation **program** is associated with an **application isolation scope** and is ...

[All 2 versions](#)

[\[PDF\] •Research and practice of distributed test platform](#)

F Qin-qun, Y Wen-fang, P She-qiang - ... conference on Computer engineering and applications, 2009 - wseas.us

... Test Reporter is organized by xml **file type**, and can ... that are vital to the progress of the **software application**. First, the user is allowed to use the **program**. ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\] •Using CORBA to integrate manufacturing cells to a virtual enterprise](#)

CM Pancerella, RA Whiteside - ... SPIE THE INTERNATIONAL SOCIETY FOR OPTICAL ..., 1997 - Citeseer

... ENGINEER file to another supported output **file type**, can be ... many developers to integrate their **applications** into the ... Jim Costa is a **program** manager for this ...

[Cited by 12](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 3 versions](#)

[Network independent file shadowing](#)

S Pardikar, 1996 - freepatentsonline.com

... readily adaptable for use in an **isolated** environment ... be provided to determine what **file type** should be ... The **application program** 30 is running on the workstation ...

[All 3 versions](#)

Intelligent card reader having emulation features

GF Renner, RE Johnson, C Chu-Jenq - US Patent 5,679,945, 1997 - Google Patents
... 2 to **isolate** differences among reader instead of bar code reader 101 ... access control computer 105, door 106 is unlocked to allow **application program** to implement ...

[Cited by 12](#) - [Related articles](#) - [All 5 versions](#)

METHOD AND APPARATUS FOR DEFERRED SECURITY ANALYSIS

CS Linn, J Vidrine, A Sigel, 2008 - freepatentsonline.com
... characteristic(s) (eg, particular **file type**, inclusion of ... form (eg, software, processing **application**) readable by ... The software 1624 may further be transmitted ...

[PDF] • [WRDC/MT1](#)

D SN - dlic.mil

... the original design of the IISS and **application** of Configuration ... PARCL1 LANGUAGE:
C SOURCE FILE: CDPII SOURCE FILE TYPE: C HOST ... 3.11 **Program** Listings comments ...

[View as HTML](#)

Method for analyzing events from system firmware and software

MS Allison, S Silva, SP Hack - US Patent App. 09/918,425, 2001 - Google Patents
... is related to compending and coiled **application** for US ... the data to create a second log **file type**, as needed. ... If no detail exists, an embedded **program** may exist ...

[All 2 versions](#)

Method and apparatus for moving processes between isolation environments

LG Laborczfalvi, A Roychoudhry, AG Borzycki, ... - US Patent App. 10/956,723, 2004 - Google Patents
... Does **application isolation scope** contain the requested resource? ... 8 838 Category of existence of the **application-scoped** key Copy to user **isolation scope**. ...

[All 5 versions](#)

Method and apparatus for securely accessing data

D Morgan, AD Ross - US Patent App. 11/271,228, 2005 - Google Patents
... determined/distinguished based on a **file type**, data size ... 300 includes one or more **applications** 320, which represent code sequence and/or **programs** that provide ...

[All 2 versions](#)

[PDF] • Generalized Anomaly Detection Model for Windows-based Malicious Program Behavior

X Tang, CN Manikopoulos, SG Ziaivas - International Journal of Network Security, 2008 - ijns.femto.com.tw
... of malicious codes based on their **file type**. ... OS migration, execution of critical **programs/applications**, and rapid ... vides a two-way **isolation** environment from ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

Computer intrusions and attacks

H Falk - The Electronic Library, 1999 - ingentaconnect.com
... For example, when a Java **application program** infected with a ... eSafe then runs the **programs** and checks their ... can, however, be selected by **file type** and then ...

[Cited by 1](#) - [Related articles](#) - [All 7 versions](#)

Control tool for bandwidth management

A Vaid, A Pandit, G Rakoshitz, S Putta - US Patent 6,137,777, 2000 - Google Patents

... The techniques should also **isolate** faults and provide visibility into performance

prob ... TABLES Shebang Software User Priorities **Application** Class Reasons ...

[Cited by 30](#) - [Related articles](#) - [All 2 versions](#)

[PDF] •AD-NA250 456

M Apicella, J Slaton, B Levi - dtic.mil

... the original design of the IISS and **application** of Configuration ... VAX-11 COBOL SOURCE

FILE: CDPRE7 SOURCE **FILE TYPE**: COB HOST ... 3.11 **Program** Listings Comments ...

[View as HTML](#)

Embedding Rendering Interface

P Sorotokin, R Wright - US Patent App. 11/737,681, 2007 - Google Patents

... A common rendering software library is not required. ... document for information that

indicates its top-level content **file type**. ... 0045] The **application** 202 invokes ...

[All 2 versions](#)

System, method and computer **program** product for analyzing data from network-based ...

KS Dick, EK Rescorla... - US Patent App. 12/260,821, 2008 - Google Patents

... include a storage medium and **program** means recorded ... fall within the spirit and **scope**

of the ... various online transaction processing (OTP) **applications** and other ...

[Related articles](#) - [All 4 versions](#)

System, method and **program** to monitor amount of usage of **applications** in a server and their ...

JJ Auvenshine, JC Blackburn, NE Fosdick, CJ ... - US Patent App. 11/449,341, 2006 - Google Patents

... the template which are generated dynamically, a **program** that executes ... which is part

of the **application**, generates the ... as an FTP or other **file type**, media file ...

[All 2 versions](#)

Method and apparatus for regression testing of **application** logic

DJ McMahon, G Buzsaki - US Patent 5,758,062, 1998 - Google Patents

... the novel system allows more effective error detection and error **isolation** of the ...

INPUT and OBTAIN TEST STATE LOG FILE 410 EXECUTE **PROGRAM APPLICATION** LAYER BY ...

[Cited by 15](#) - [Related articles](#) - [All 2 versions](#)

System and method for controlling inter-**application** association through contextual policy ...

S Schaefer, J Sheehan - US Patent App. 11/191,595, 2005 - Google Patents

... virtual, vendor, user, session, shared and **isolated**; [0018] FIG ... or just-in-time when

the **application** needs the ... For example, if a computer **program** such as Adobe ...

[All 6 versions](#)

Method and apparatus for **application** verification

L Liu - US Patent App. 11/433,661, 2006 - Google Patents

... FIG. 1, the client (102) may additionally include an **application** devel-

opment **program**, such as a source control **application**. The ...

[All 2 versions](#)

[Integrated Information Support System \(IISS\). Volume 5. Common Data Model Subsystem. ...](#)

ML Apicella, J Slaton, B Levi, 1990 - Storming Media

... **PROGRAM(S)**: The documented Main **Programs** which contain ... THE PROCEDURE DIVISION OF
USERS **APPLICATION** LANGUAGE: VAX ... SOURCE FILE: CDPRE2 SOURCE **FILE TYPE**: COB HOST ...

[All 2 versions](#)

[\[PDF\] •WRDC/MTI Wright-Patterson AFB, OH 45433-6533](#)

SN DA DLJ - dtic.mil

... **PROGRAM(S)**: The documented Main **Programs** which contain ... THE PROCEDURE DIVISION OF
USERS **APPLICATION** LANGUAGE: VAX ... SOURCE FILE: CDPRE2 SOURCE **FILE TYPE**: COB HOST ...

[View as HTML](#)

[SYSTEM AND METHOD FOR SPLITTING FACES ON A SOLID MODEL](#)

JJ Bohman, V Hambridge, 2009 - freepatentsonline.com

... 6, the software **application** 400 is characterized by a solid modeling **application**
605 that ... x_t format that refers to a modeler transmit **file type** for the 3D ...

[Blocking e-mail propagation of suspected malicious computer code](#)

M Kennedy, WE Sobel, B McCorkendale, C ... - US Patent 7,490,244, 2009 - freepatentsonline.com

... may be enumerated by **file type** or it ... preventing the associated executable **application**
from propagating ... a distributed computing environment, **program** modules may ...

[Related articles](#) - [All 2 versions](#)

[System and method for transferring biological data to and from a database](#)

C Roth - US Patent App. 09/936,712, 2001 - Google Patents

... effective when performed in an **isolated** man- ner ... The data acquisition **application**
180 processes the data ... may include, for example, the software and **applications** ...

[All 2 versions](#)

[\[PDF\] •Policy enforcement via program monitoring](#)

JA Ligatti, DP Walker - Princeton University, Princeton, NJ, 2006 - Citeseer

... the problem of policy complexity by developing a **program-** ... to reuse, update, and analyze
isolated subpolicies ... composeable run-time policies on Java **applications**. ...

[Cited by 16](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[Browsing and manipulating objects using movie like icons](#)

SA Bhukhanwala - US Patent 5,831,617, 1998 - Google Patents

... even folders do not effectively, **isolate** the important ... a user gets size, date, **file**
type, etc., information ... by a user or **application program**, which determines ...

[Cited by 7](#) - [Related articles](#) - [All 2 versions](#)

[Software Fault Tree Analysis of Concurrent Ada Processes](#)

WS Reid, 1994 - Storming Media

... a file that meets the specifications of an FTE **file type**. ... with a comparison analysis
of an Ada **program** used by ... III covers the modified tool and its **application** ...

[All 2 versions](#)

REMUS: A security-enhanced operating system- *psu.edu [PDF]

M Bernaschi, E Gabrielli, LV Mancini - ACM Transactions on Information and System Security ..., 2002 - portal.acm.org

... are transparent to the **application** processes that ... S_IFREG | S_IRUGO, /* **file type** and access permissions */ 1 ... Several setuid **programs** or root daemons, for good ...

[Cited by 69](#) - [Related articles](#) - [All 12 versions](#)

Content-based implicit search query

GZ Ragan - US Patent App. 11/139,131, 2005 - Google Patents

... listing of e-mails or enter explicit search terms to **isolate** e-mails ... A user interface layer can include APIs (**Application Program Interfaces**), services and pro ...

[All 2 versions](#)

Method and system for transacted file operations over a network

PJ Madhavarapu, S Pardikar, BS Raman, S ... - US Patent App. 10/693,658, 2003 - Google Patents

... OPERATING SYSTEM 926 **APPLICATION PROGRAMS** 928 I DATA MEDIA INTERFACES OTHER **PROGRAM** MODULES 930 OPERATING 925 SYSTEM **PROGRAM DATA** 932 **APPLICATION** 928 **PROGRAMS** ...

[Cited by 1](#) - [Related articles](#) - [All 6 versions](#)

[PDF] *Wux: Unix tools under windows

D Spinellis - USENIX Conference Proceedings, 1994 - Citeseer

... LF , but require the specification of the **file type** (binary or ... that Windows provides only rudimentary process **isolation** and can ... Unix as an **application program**. ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

System and method for monitoring quality of service over network

A Vaid, A Pandit, G Rakoshitz, SR Putta - US Patent 6,078,953, 2000 - Google Patents

... present invention can be predominately software based and ... Less critical **applications** and users are provided with ... The techniques should also **isolate** faults and ...

[Cited by 33](#) - [Related articles](#) - [All 2 versions](#)

Data recovery application

BA Carmichel, NW Wright - US Patent App. 11/325,098, 2006 - Google Patents

... 9 via -x REQUEST - Mediasafe Mirror Please Select **File Type** @ FAT 16 ... Patent **Application** Publication Jul ... Read HD NO Return error end halt the **program** (see figure ...

[All 3 versions](#)

[PDF] *Systems Design and Implementation

J Stoess - i30www.ibds.uka.de

... Performance **Isolation** CPU ... Elf32_Half e_type; /* Object **file type** */ ... e_entry; /* Entry point virtual address */ Elf32_Off e_phoff; /* **Program** header table ...

[Related articles](#) - [View as HTML](#) - [All 6 versions](#)

[PDF] *Syntactic identifier conciseness and consistency

D Lawrie, H Feild, D Binkley - Proceedings of 2006 IEEE Workshop on Source Code ... - Citeseer

... referred to in the same **scope** (at least ... al., "Programmers tend to process **application**-domain knowledge ... a consistent way when writing code: **program** item names ...

[Cited by 11](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[PDF] •Components, Scripts, and Glue: A conceptual framework for **software** composition

JG Schneider - Doktorarbeit, Institute of Computer Science and ..., 1999 - cs.chalmers.se

... very rich and reflecting real-world entities of the **application** domain. Components

are not used in **isolation**, but according to a software architecture that ...

[Cited by 58](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

Method for searching multiple file types on a CD ROM

TK Teague - US Patent 6,654,758, 2003 - Google Patents

... using another search engine designed for the **file type**. ... graphics, code, etc., from

one **application** to another ... This is the portion of the **program** that determines ...

[Cited by 2](#) - [Related articles](#) - [All 2 versions](#)

Computer system with operating system functions distributed among plural ...

SKH Jaffrey - US Patent 6,591,358, 2003 - Google Patents

... INITIATE **ISOLATION** PROCEDURE OF DEVICES READ RESOURCE REQUIREMENT OF EACH DEVICE ...

8,2003 Sheet 5 of 16 US 6,591,358 B2 **APPLICATION PROGRAMS** HARDWARE/FIRMWARE ...

[Cited by 5](#) - [Related articles](#) - [All 2 versions](#)

[PDF] •AD-A252 452

M Apicella, J Slaton, B Levi - dtic.mil

... design of the IISS and **application** of Configuration ... MODULE TYPE: Whether a **Program**,

Subroutine, or Function. ... SOURCE **FILE TYPE**: Source File Extension from file ...

[View as HTML](#)

Report generation system and method for capturing prose, audio, and video by voice ...

L Brais, C Brennan, P Madden - US Patent 5,995,936, 1999 - Google Patents

... for use with a word- its collection, collation and dissemination in a report format

30 processing **application** or other report generating software, is critical ...

[Cited by 16](#) - [Related articles](#) - [All 2 versions](#)

[PDF] •WRD-TR-90-8007 ii iJi III i II I

M Apicella, J Slaton, B Levi - dtic.mil

... SECTION 1 **SCOPE** 1.1 Identification ... Forms Processor: (FP) A set of callable execution

time routines available to an **application program** for form processing. ...

[View as HTML](#)

Operating system resource protection

EJ Praitis, FL Aaron, JC Lew, JJ Kavalam, R ..., 2005 - freepatentsonline.com

... the same virtualization **application** group (eg, same **isolation** identity ... does not leave

a particular **file type** without an associated **application program**. ...

[Related articles](#) - [All 2 versions](#)

Distinct smart card reader having wiegand, magnetic strip and bar code types emulation ...

GF Renner, RE Johnson, C Chu-Jeng - US Patent 6,223,984, 2001 - Google Patents

... 54 Claims, 15 Drawing Sheets 402 - **APPLICATION PROGRAM** EMULATION FUNCTIONS GENERIC

CARD INTERFACE LAYER CARD TYPE 1 ROU- TINES CARD TYPE 2 ROU- TINES CARD TYPE ...

[Cited by 4](#) - [Related articles](#) - [All 2 versions](#)

[A Study of Malcode-Bearing Documents- •psu.edu \[PDF\]](#)

WJ Li, S Stolfo, A Stavrou, E Androulaki, AD ... - LECTURE NOTES IN COMPUTER SCIENCE, 2007 - Springer
... based on Kolmogorov Complexity metrics, for **file type** identification ... DLLs are necessary
for the **program** to startup ... rest of the DLLs that the **application** loads at ...

[Cited by 10](#) - [Related articles](#) - [BL Direct](#) - [All 19 versions](#)

[Method to collate and extract desired contents from heterogeneous text-data streams](#)

RS Graham, RL Pray - US Patent 6,411,974, 2002 - Google Patents
... the larger 4Q system, these **isolated** engineers may ... modules 230 contains a common
application program inter- face ... data, for that particular **file type**, which are ...

[Cited by 5](#) - [Related articles](#) - [All 2 versions](#)

[Method and system for sharing a utility function between operating systems.](#)

N Jain, J Hensley, 1995 - treepatentsonline.com
... operating system 210 or an **application** running thereon ... E {Changes the name of a **file**}
TYPE {Displays the ... up using the backup **program**} MISCELLANEOUS UTILITIES ...

[All 2 versions](#)

[Rapid Content Association Methods](#)

M Duarte, 2008 - freepatentsonline.com
... level, ranging from hardware to **application** software and in ... Such software code may
be executed by mobile ... communications with Kevin) rather than by **file type**. ...

[Extensible architecture for project development systems](#)

CG Kaler, MS Lovell, MJ Grier, BJ Bartz - US Patent App. 11/171,768, 2005 - Google Patents
... source of the information from an **application**, making it ... accom- modate any kind of
document or **file type**. ... type, so that the appropriate **programs** for processing ...

[Cited by 1](#) - [Related articles](#) - [All 4 versions](#)

[Integrated Information Support System \(IISS\). Volume 5. Common Data Model Subsystem. ...](#)

ML Apicella, J Slaton, B Levi, 1990 - Storming Media
... design of the IISS and **application** of Configuration ... MODULE TYPE: Whether a **Program**,
Subroutine, or Function. ... SOURCE FILE TYPE: Source File Extension from file ...

[All 2 versions](#)

[Model driven software development in the context of embedded component infrastructures- •kircher-
schwanninger.de \[PDF\]](#)

M Voelter, C Salzmann, M Kircher - Lecture notes in computer science, 2005 - Springer
... Their goal was to **isolate** applica- tion functionality ... the form of reusable, pre-built
software components ... **Applications** are implemented as a set of collaborating ...

[Cited by 2](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

[Type structure for low-level programming languages- •psu.edu \[PDF\]](#)

K Cray, G Morrisett - Lecture Notes in Computer Science, 1999 - Springer
... have been exploring the design, **applications**, and foundations ... If I is valid assuming
that register **file type** on entry ... it means that at every **program** point, the ...

[Cited by 18](#) - [Related articles](#) - [BL Direct](#) - [All 16 versions](#)

METHODS AND SYSTEMS FOR ACCESSING REMOTE USER FILES ASSOCIATED WITH ...

B Pedersen, RG Braddy, WT Harwood, C ... - US Patent App. 11/875,515, 2007 - Google Patents

... to a determi- nation that a second **isolation** environment on ... embodiment, the local machine 102 executes a **program** neighborhood **application** to com ...

[All 2 versions](#)

[BOOK] [A semantic web primer](#)- *kianian.com [PDF]

G Antoniou, F Van Harmelen, 2004 - books.google.com

... their software architecture, and global in their **scope**. ... not readily accessible by other software tools; search engines are often **isolated applications**. ...

[Cited by 733](#) - [Related articles](#) - [Library Search](#) - [All 18 versions](#)

[PDF] *AD-A252 454 Jllll lllllllll ll kvlll

M Apicella, J Slaton, B Levi - dtic.mil

... SECTION 1 **SCOPE** 1.1 Identification ... Forms Processor: (FP) A set of callable execution time routines available to an **application program** for form processing. ...

[View as HTML](#)

Associating runtime objects with a set and controlling access to resources as a function ...

DB Probert, E Li, JA Rector - US Patent App. 10/938,126, 2004 - Google Patents

... illustrating the generation of an **application** identity and an **isolation** iden- tity. ... for a file or other resource associated with an **application program** from com ...

[All 2 versions](#)

Semiotic engineering principles for evaluating end-user programming environments- *puoc-rio.br [PDF]

CS De Souza, SDJ Barbosa, SRP Da Silva - Interacting with Computers, 2001 - Elsevier

... be totally undesirable in the **scope** of the ... Only trained programmers and interactive software designers can ... from existing patterns embedded in the **application**. ...

[Cited by 29](#) - [Related articles](#) - [All 8 versions](#)

Tagging and tracing Program Integrated Information

N Kato, M Arisawa - Topics in Language Resources for Translation and ..., 2008 - books.google.com

... The **isolated** strings are called PII strings ... The file has **file type** extension CATNIs and is called ... For example, if a Java **application program** supports, Japanese ...

[Related articles](#)

Did you mean to search for: "[file type](#)" and ([application or program](#)) and **isolation** and [scope](#)



Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

"file type" and (application or progra [Search](#)

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

